

Digital Hand-Tachometer
Tachymètre Numérique Portatif
Tachómetro digital manual
Tachimetro digitale a mano

überreicht durch / presented by :


SCHRIEVER & SCHULZ & Co. GmbH
 Vertriebsbüro für Mess- & Regeltechnik seit 1958

Eichstr. 25 B D 30880 Laatzen
 Tel. ++49 (0)511 86 45 41 / Fax ++49 (0)511 86 41 56
 info@schriever-schulz.de || www.schriever-schulz.de

N0000.900A



1



MEM + MODE

2

▶ Ø 6" Standard setting

MODE

▶ Ø 6" ▶ Ø 12" ▶ Ø 0.1 m ▶

MEM

Enter



3

start 1 sec display test 2 sec setting start

MODE

▶ rpm ▶ m/min ▶ m/sec ▶ ft/min ▶ ft/sec ▶ in/min ▶ m ▶ ft ▶ in ▶

MEM

▶ MEM ▶ MAX ▶ MIN ▶ AV ▶



MODE **4**

rpm ▶ m/min ▶ m/sec ▶ ft/min ▶ ft/sec ▶ in/min ▶ m ▶ ft ▶ in ▶

rpm → m/min ft/min in/min
m/sec ft/sec in/min

8.8.8.8.8

1.00 - 99999 rpm

max 800 mm
24 in

MODE **5**

rpm ▶ m/min ▶ m/sec ▶ ft/min ▶ ft/sec ▶ in/min ▶ m ▶ ft ▶ in ▶

rpm → m/min ft/min in/min
m/sec ft/sec in/min

8.8.8.8.8

0,10 - 19999 rpm

click

MODE **6**

rpm ▶ **m/min** ▶ m/sec ▶ ft/min ▶ ft/sec ▶ in/min ▶ m ▶ ft ▶ in ▶

rpm → m/min ft/min in/min
m/sec ft/sec in/min

8.8.8.8.8

click

	0.1 m	6"	12"
m/min	0.10-1999	0.10-1524	0.40-609.6
ft/min	0.40-6550	0.40-5000	0.40-2000
in/min	4.00-78700	4.00-60000	4.00-24000
m/sec	0.10-33.30	0.10-25.40	0.10-10.16
ft/sec	0.10-109	0.10-83.33	0.10-33.33
m	0.00-99999	0.00-99999	0.00-99999
ft	0.00-99999	0.00-99999	0.00-99999
in	0.00-99999	0.00-99999	0.00-99999


MODE **7**

HANDLING

MEM

8

MEM MAX MIN AV



± 0.02% ± 1 digit (for rpm)

auto power off 30 sec (Data store)

0° ... 50° C / 32° ... 122° F

-20° ... 70° C / -4° ... 158° F

aprox. 40 h (alkaline Battery)

2 x AA Alkaline or Rechargeable

CE



Caution

überreicht durch / presented by :

SCHRIEVER & SCHULZ & Co. GmbH
Vertriebsbüro für Mess- & Regeltechnik seit 1958

Eichstr. 25 B D 30880 Laatzen
Tel. ++49 (0) 511 86 45 41 / Fax ++49 (0) 511 86 41 56
info@schriever-schulz.de || www.schriever-schulz.de